



OS PROFISSIONAIS ATUANTES NA ESTRATÉGIA NACIONAL DE PREVENÇÃO E ATENÇÃO À OBESIDADE INFANTIL EM CUITÉ, DAMIÃO E FREI MARTINHO, NA PARAÍBA.

Kássio Bezerra Soares¹, Gracielle Malheiro dos Santos²

RESUMO

No ano de 2021, foi criada a Estratégia Nacional de Prevenção e Atenção à Obesidade Infantil (PROTEJA) instituída na Portaria GM/MS nº 1.862, de 10 de agosto de 2021, por iniciativa da Coordenação-Geral de Alimentação e Nutrição do Departamento de Promoção da Saúde da Secretaria de Atenção Primária à Saúde do Ministério da Saúde, com o intuito de incentivar as ações voltadas a atenção e prevenção da obesidade infantil em todo território nacional. objetivo descrever o perfil e as percepções dos profissionais da saúde acerca da Estratégia Nacional de Prevenção e Atenção à Obesidade Infantil (PROTEJA); além de investigar possíveis atitudes negativas em relação a indivíduos com obesidade por meio da Escala de Atitudes Anti- Obesidade (AFAT). Trata-se de uma pesquisa com abordagem quantitativa e recorte transversal. Os locais da pesquisa foram os municípios de Cuité, Damião e Frei Martinho, na Paraíba, região Nordeste do Brasil. A amostra foi intencional, os participantes foram todos os profissionais vinculados às secretarias envolvidas na execução do PROTEJA nos municípios. A coleta de dados ocorreu de forma planejada entre setembro e outubro de 2022 utilizando a plataforma online Google Forms®. O Termo de Consentimento Livre Esclarecido foi enviado via e-mail. Foi utilizado um questionário estruturado para coleta de dados. Participaram 97 profissionais, sendo 89,7% do sexo feminino, a idade média era de 37 (IC:35,71-39,68) anos, 54,6% trabalhadores em Cuité, 30,9% em Damião e 14,4% em Frei Martinho. A função de 33% era de agente comunitário de saúde; enfermeiro (a) (17,5%); técnico em enfermagem (16,5%); coordenador de saúde (7,2%); dentista (6,2%); técnico em saúde bucal (5,2%); nutricionista (5,2%). O restante da amostra foi de outros profissionais atuantes na APS. As ações de vigilância alimentar e nutricional foram as mais realizadas e a menos frequente foi a educação permanente, a frequência entre as ações investigadas foi de uma ou duas vezes em sua maioria, as ações de vigilância alimentar e nutricional tiveram participação direta por 50,6% dos profissionais, assim como as ações realizadas foram consideradas “boas” ou “muito boas” pela maioria. Observa-se que a pontuação da AFAT geral e da AFAT total não teve muita diferença entre os três municípios. Contudo, destaca-se o município de Frei Martinho com a maior média na escala geral e total, assim como nas subescalas “depreciação social e do caráter” e “controle de peso e culpa”. Na subescala “não atratividade física e romântica” a média foi maior no município de Cuité. De acordo com os resultados obtidos, observa-se que as ações do PROTEJA estão sendo realizadas, porém apresentaram fragilidades em diferentes dimensões,

¹Aluno do <Nome do Curso>, Departamento de <Nome do Departamento>, UFCG, Campina Grande, PB, e-mail: emaildoaluno@seuprovedor.com

²<Titulação>, <Função>, <Departamento>, UFCG, Campina Grande, PB, e-mail: emaildoorientador@seuprovedor.com



mesmo se tratando de ações que são esperadas na atenção básica. Através da AFAT, investigando a existência de possíveis estigmas e preconceito frente a obesidade, pode-se inferir que os profissionais atuantes na área de saúde dos municípios de Cuité, Damião e Frei Martinho, demonstram alguns tipos de atitudes negativas para com indivíduos obesos e obesidade e questões relacionadas com esta condição. Considera-se que os dados podem auxiliar os gestores na tomada de decisões.

Palavras-chaves: Atenção primária à saúde, Obesidade infantil, Preconceito do peso, Profissionais de saúde.



PROFESSIONALS WORKING IN THE NATIONAL STRATEGY FOR PREVENTION AND CARE FOR CHILDHOOD OBESITY IN CUITÊ, DAMIÃO AND FREI MARTINHO, PARAÍBA.

Yasmin Andrade Rufino Correia³, Gracielle Malheiro dos Santos⁴

ABSTRACT

In 2021, the National Strategy for the Prevention and Attention to Childhood Obesity (PROTEJA) was created, established in Ordinance GM/MS nº 1.862, of August 10, 2021, by initiative of the General Coordination of Food and Nutrition of the Department of Health of the Secretariat of Primary Health Care of the Ministry of Health, with the aim of encouraging actions aimed at the care and prevention of childhood obesity throughout the national territory. objective to describe the profile and perceptions of health professionals about the National Strategy for Prevention and Attention to Childhood Obesity (PROTEJA); in addition to investigating possible negative attitudes towards individuals with obesity through the Anti-Obesity Attitudes Scale (AFAT). This is a research with a quantitative approach and cross-sectional approach. The research sites were the municipalities of Cuitê, Damião and Frei Martinho, in Paraíba, Northeast region of Brazil. The sample was intentional, the participants were all professionals linked to the secretariats involved in the execution of PROTEJA in the municipalities. Data collection took place in a planned manner between September and October 2022 using the Google Forms® online platform. The Informed Consent Form will be sent via email. A structured questionnaire was used for data collection. 97 professionals participated, 89.7% female, mean age was 37 (CI:35.71-39.68) years, 54.6% workers in Cuitê, 30.9% in Damião and 14.4 % in Frei Martinho. The function of 33% was community health agent; nurse (17.5%); nursing technician (16.5%); health coordinator (7.2%); dentist (6.2%); oral health technician (5.2%); nutritionist (5.2%). The remainder of the sample consisted of other professionals working in PHC. Food and nutrition surveillance actions were the most performed and the least frequent was permanent education, the frequency between the actions investigated was mostly once or twice, food and nutrition surveillance actions had direct participation by 50.6 % of the professionals, as well as the actions carried out, were considered “good” or “very good” by the majority. It is observed that the general AFAT score and the total AFAT score did not have much difference between the three municipalities. However, the municipality of Frei Martinho stands out with the highest average on the general and total scale, as well as in the sub scales “social and character depreciation” and “weight and guilt control”. In the sub scale “non-physical and romantic attractiveness” the average was higher in the municipality of Cuitê. According to the results obtained, it is observed that the actions of PROTEJA are being carried out, but they present weaknesses in different dimensions, even when dealing with actions that are expected in primary care.

³Aluno do <Nome do Curso>, Departamento de <Nome do Departamento>, UFCG, Campina Grande, PB, e-mail: emaildoaluno@seuprovedor.com

⁴<Titulação>, <Função>, <Departamento>, UFCG, Campina Grande, PB, e-mail: emaildoorientador@seuprovedor.com



Through the AFAT, investigating the existence of possible stigmas and prejudice against obesity, it can be inferred that professionals working in the health area of the municipalities of Cuité, Damião and Frei Martinho, demonstrate some types of negative attitudes towards obese individuals and obesity and issues related to this condition. It is considered that the data can help managers in decision making.

Keywords: Primary health care, Pediatric obesity, Weight prejudice, Health personnel